

	\$("div") \$\$("div")	\$x("//div")	
	CSS Selector	XPath	Description
Direct selectors	h1	//h1	Get all h1
	h1 p	//h1//p	Get all p which have a h1 parent
	h1 > p	//h1/p	Get all p which have a h1 direct parent
Attribute selectors	.classname	//*[@class="classname"]	Get all element with an attribute class=classname
	#idname	//*[@id="idname"]	Get all elements with attribute id=idname
	[example="foo"]	//*[@example="foo"]	Get all elements with attribute example="foo"
	a[href^='https']	//a[starts-with(@href, 'https')]	Get all a which href attribute starts with "https"
	a[href*='allaboutqablog']	//a[contains(@href, 'allaboutqablog')]	Get all a which href attribute contains "allaboutqablog"
	a[href\$='.com']	//a[ends-with(@href, '.com')]	Get all a which href attribute ends with ".com"
Descendant selectors	ul > li:first-child	//ul/li[1]	Get the first li child which have a ul direct parent
	ul > li:nth-child(3)	//ul/li[3]	Get the n-th li child which have a ul direct parent
	ul > li:last-child	//ul/li[last()]	Get the last li child which have a ul direct parent
Others	N/A	//ul/li/..	Parent
	N/A	//*[contains(text(), 'foo')]	Text match
	N/A	//p[@price-attribute > 10]	Numeric attribute